

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 01

SHIP TO:

AS SPECIFIED ON INDIVIDUAL ORDERS

VENDOR ID:

PPC LUBRICANTS

305 MICRO DR

JONESTOWN, PA

(800)772-5823

17038

REFER QUESTIONS TO:

IRIS LESTER BELL

(410)767-4612

IRIS.LESTER@MARYLAND.GOV

ITB:

EXPR DATE: 06/30/17

POST DATE: 05/25/16

DISCOUNT TERMS: .

NET 30 DAY

CONTRACT AMOUNT:

.00

TERMS:

ARTICLES HEREIN ARE EXEMPT FROM MARYLAND SALES AND USE TAXES BY EXEMPTION CERTIFICATE NUMBER 3000256-3 AND FROM FEDERAL EXCISE TAXES BY EXEMPTION NUMBER 52-73-0358K. IT IS THE VENDOR'S RESPONSIBILITY TO ADVISE COMMON CARRIERS THAT AGENCIES OF THE STATE OF MARYLAND ARE EXEMPT FROM TRANSPORTATION TAX.

STATEWIDE CONTRACT

FOR

OILS, GREASE AND LUBRICANTS

CONTRACT PERIOD: JULY 1 2016 THROUGH JUNE 30, 2017 (1 YEAR)

ORIGINAL: 001B4400582

1ST RENEWAL: 001B7400008

VENDOR: PPC LUBRICANTS

VENDOR CONTACT: MALINDA RIVERA

VENDOR TELEPHONE: 800-772-5823

VENDOR EMAIL: MRIVERA@PPCLUBRICANTS.COM

THIS CONTRACT CAN BE RENEWED UNILATERALLY FOR ONE (1), ONE (1) YEAR RENEWAL OPTION WITH THE DEPARTMENT OF GENERAL SERVICES PENDING THE TERMS AND CONDITIONS REMAIN THE SAME.

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 02

TERMS (cont'd):

CONTRACT SCOPE: THIS IS A REQUIREMENT BASED CONTRACT TO SUPPLY THE STATE OF MARYLAND AND USING AUTHORITIES WITH ITS NEEDS FOR GREASES, OILS AND LUBRICANTS AS SPECIFIED IN EACH LINE ITEM.

NUMBER FOR PLACING ORDERS:1(800)772-5823

REGIONS BEING SUPPLIED IN THIS CONTRACT ARE REGION 1: DORCHESTER, WICOMICO, SOMERSET AND WORCESTER COUNTIES. REGIONS 2: CAROLINE, KENT, TALBOT, CECIL AND QUEEN ANNE COUNTIES. REGION 3: HARFORD, BALTIMORE CITY, BALTIMORE COUNTY AND ANNE ARUNDEL. REGION 4: PRINCE GEORGES, CALVERT, CHARLES AND ST. MARY'S COUNTIES. REGION 5: HOWARD, MONTGOMERY, FREDERICK AND CARROLL COUNTIES. REGION 6: GARRETT, ALLEGANY AND WASHINGTON COUNTIES.

PROCESSING FEE

1.

CONTRACTOR SHALL PAY A PROCESSING FEE TO THE STATE IN THE AMOUNT OF ONE PERCENT (1%) OF THE TOTAL CONTRACT SALES. THE PROCESSING FEE IS CALCULATED BASED ON ALL SALES TRANSACTED UNDER THE CONTRACT, MINUS, ANY RETURNS OR CREDITS. THE PROCESSING FEE SHALL NOT BE CHARGED DIRECTLY TO THE CUSTOMER, E.G., AS A SEPARATE LINE ITEM, FEE OR SURCHARGE, BUT SHALL BE INCLUDED IN THE CONTRACTS UNIT PRICES

2.

THE PROCESSING FEE SHALL BE SUBMITTED TO THE DEPARTMENT OF GENERAL SERVICES, FISCAL SERVICES DIVISION, 301 W. PRESTON STREET, ROOM 1309, BALTIMORE, MD., 21201, WITHIN TEN (10) CALENDAR DAYS FOLLOWING THE END OF EACH CALENDAR MONTH ALONG WITH A MONTHLY USAGE REPORT DOCUMENTING ALL CONTRACT SALES. AN EXCEL VERSION OF THE MONTHLY USAGE REPORT SHALL ALSO BE EMAILED TO THE PROCUREMENT OFFICER AND THE EMM ACCOUNTANT, AWAWU SALAKO, AT AWAWU.SALAKO@MARYLAND.GOV

3.

FAILURE TO REMIT PROCESSING FEES IN A TIMELY MANNER OR REMITTANCE OF FEES INCONSISTENT WITH THE CONTRACT'S REQUIREMENT MAY RESULT IN THE STATE EXERCISING ALL RECOURSE AVAILABLE UNDER THE CONTRACT INCLUDING, BUT NOT LIMITED TO, A THIRD PARTY AUDIT OF ALL CONTRACT ACTIVITY. SHOULD AN AUDIT BE REQUIRED BY THE STATE, THE CONTRACTOR SHALL REIMBURSE THE STATE FOR ALL COSTS ASSOCIATED WITH THE AUDIT UP TO \$10,000.00 OR ONE (1%) PERCENT OF THE CONTRACT'S ESTIMATED ANNUAL VALUE, WHICHEVER IS HIGHER.

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 03

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

0001	40524-220908	EA	306.0000	
------	--------------	----	----------	--

GREASE LUBRICATION TYPE LITHIUM COMPLEX, HIGH TEMPERATURE, NGLI-2, EP, GC, MINIMUM DROPPING POINT 501 DEGREES FAHR. ANTI-WEAR/ANTI-RUST ADDITIVES TIMKEN OK LOAD 60, 120 LB KEG

BRAND: CASTROL PYROPLEX BLUE #2, STOCK # ITEM #55178

0004	40524-421200	EA	259.2000	
------	--------------	----	----------	--

GREASE LITHIUM COMPLEX, M/P, NLGI GRADE 2 MEETS REQUIREMENTS FOR GC-LB MINIMUM TIMKEN OK LOAD 40 LBS IN 120 LB KEG

BRAND: MAG 1 HIGH TEMPERATURE DISC BRAKE
STOCK: MG620020

0006	40524-424000	DR	856.0000	
------	--------------	----	----------	--

GREASE LITHIUM COMPLEX, M/P IN 400 LB DRUM NLGI GRADE 2 MEETS REQUIREMENTS FOR GC-LB MINIMUM TIMKEN OK LOAD 40 LBS. MULTIPURPOSE GLI-2EP. GC LB MINIMUM TIMKEN OK LOAD 40 LBS. IN 400 LB. DRUM

BRAND: CASTROL PYROPLEX BLUE #2 STOCK#: 55179

0008	40536-200055	DR	366.3000	
------	--------------	----	----------	--

TRANSMISSION FLUID, AUTOMATIC, DEXTRON III (H)/MERCON, MEETS GM/FORD/ALLISON C-4 SPECIFICATIONS IN 55 GALLON DRUM

BRAND: PEAK ATF STOCK #: PDT001

0009	40536-201000	GL	11.0600	
------	--------------	----	---------	--

AUTOMOTIVE TRANSMISSION FLUID, AUTOMATIC, MERCON V, MEETS FORD SPECIFICATIONS, BULK DELIVERY

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 04

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

BRAND: MAG 1 MULTIVEHICLE ATF STOCK #: MG06DM55

0010	40536-210200	GL	27.6900	
------	--------------	----	---------	--

AUTOMOTIVE TRANSMISSION FLUID, ALLISON TRANSMISSION, MEETS ALLISON TRANSMISSION TES 295 SPECIFICATION. BULK DELIVERY

BRAND: BP AUTRAN SYN 295 STOCK #: 709701

0011	40536-210300	GL	5.9600	
------	--------------	----	--------	--

AUTOMATIC TRANSMISSION FLUID, AUTOMATIC, DEXTRON III H/MERCON, MEETS GM/FORD/ALLISON C-4 SPECIFICATIONS. BULK DELIVERY

BRAND: PEAK ATF STOCK #: PDT000

0012	40536-21055A	QT	3.7300	
------	--------------	----	--------	--

AUTOMOTIVE TRANSMISSION FLUID, TYPE A, DEXTRON II ATF, 55 GAL/DRUMS

AUTOMOTIVE TRANSMISSION FLUID, AUTOMATIC, MERCON V, MEETS FORD SPECIFICATIONS IN QUART CONTAINER.

BRAND: MAG 1 MULTIVEHICLE ATF STOCK #: MG06DMPL

0015	40536-210315	DR	620.4000	
------	--------------	----	----------	--

TRANSMISSION OIL/FLUID SA 50 CONOCO POWER DRIVE FLUID SHALL MEET OR EXCEED THE FOLLOWING SPECIFICATIONS EATON FULLER TRANSMISSION, EUCLID EQUIPMENT, KOMATSU EQUIPMENT, VICKERS (EATON) M-2959-S, ZFTE-ML 03C FOR TORQUE CONVERTER TRANSMISSIONS. DENSITY, G/CM3 @15.6 C (60F) 0.89; COLOR, ASTM D1500 4.0; FLASH POINT (COC), C (F) 242 (468); POUR POINT C (F) -21 (-6); VISCOSITY CP@-35 DEGREES C (BROOKFIELD); CST @40C 227; CST@100C 19.1; SUS@100F 1,202; SUS @210 F 97.3; VISCOSITY INDEX 94; ASH, SULFATED, ASTM D874, WT% 1.23; TOTAL BASE NUMBER (TBN), ASTM D 2896 7.6; ZINC, WWT% 0.124 IN 55 GALLON DRUM

BRAND: CASTROL TRANS C 50 STOCK #: 39509

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 05

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

0016	40536-210355	DR	606.6500	
------	--------------	----	----------	--

TRANSMISSION OIL/FLUID SAE 30 CONOCO POWRE DRIVE FLUID SHALL MEET OR EXCEED THE FOLLOWING SPECIFICATIONS ALLISON C-4 (SA 10W-30, CATERPILLAR TO-4, DANA SPICER TRANSMISSION. DENSITY ,G/CM3 @15.6 DEGREES C (60F) 0.883; COLOR, ASTM D1500 2.0; FLASH POINT (COC), DEGREE C (F) 233 (451); POUR POINT C(F) -30 (-22); VISCOSITY CP@-35 C (BROOKFIELD); CST @ 40C 98.0; CST @100 C 11.5; SUS @100F 510; SUS@210F 65.8; VISCOSITY INDEX 97; ASH, SULFATE, ASTM D874, WT% 1.23; TOTAL BASE NUMBER (TBN, ASTM D2896 7.6; ZINC, WT% 0.124. IN 55 GALLON DRUM

BRAND: CASTROL TRANS C 30 STOCK #: 39309

0017	40536-210355	DR	1,550.4500	
------	--------------	----	------------	--

FLUID: TRANSMISSION, AUTOMATIC; PASSENGER AND LIGHT DUTY TRUCKS; TO CONFORM TO SPECIFICATIONS FOR TYPE A, SUFFIX A FOR TRANSMISSION FLUID. NOT FOR USE IN FORD MOTOR CO. TRANSMISSIONS. 55 GAL. DRUM. AUTOMOTIVE TRANSMISSION FLUID, AUTOMATIC, ALLISON TRANSMISSION MEETS ALLISON TRANSMISSION TES 295 SPECIFICATIONS IN 55 GALLON DRUM

BRAND: BP AUTRAN SYN 295 STOCK #: 709701

0018	40536-210500	QT	2.7100	
------	--------------	----	--------	--

TRANSMISSION FLUID, AUTOMATIC, DEXTRON III (H)/MERCON, MEETS GM/FORD/ALLISON C-4 SPECIFICATIONS IN QUART CONTAINER

BRAND: PEAK ATF STOCK #: PDT0076

0019	40536-21055A	DR	608.3000	
------	--------------	----	----------	--

AUTOMOTIVE TRANSMISSION FLUID, TYPE A, DEXTRON II ATF, 55 GAL/DRUMS AUTOMOTIVE TRANSMISSION FLUID, AUTOMATIC, MERCON V, MEETS FORD SPECIFICATIONS, 55 GALLON DRUM

BRAND: MAG 1 MULTIVEHICLE ATF ITEM #: MGSSDM55

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 06

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

0020	40539	QT	4.0400	
------	-------	----	--------	--

AUTOMOTIVE MOTOR OIL SAE 40W DIESEL & GASOLINE ENGINES, MEETS
MILSPEC MIL-L2104, MIL-L46152, API, SJ/CF-2

BRAND: SHELL ROTELLA T1 40W, 12/1 QT. CASE STOCK #: 550019904

0021	40539	QT	3.0500	
------	-------	----	--------	--

AUTOMOTIVE OIL SAE 5W-30 GASOLINE ENGINES API SM, ILSAC CF-4,
ENERGY CONSERVING.

BRAND: PEAK SYN BLEND 5W30 STOCK #: P3MB576

0022	40539	QT	3.0200	
------	-------	----	--------	--

OIL, AUTOMOTIVE ENGINE
AUTOMOTIVE OIL SAE 15W-40 MUST MEET 2007 MODEL YEAR DIESEL ENGINE
REQUIREMENTS API SM/CJ-4, CATERPILLAR ECF-3, CUMMINS CES 2081 ENERGY
CONSERVING

BRAND: PEAK 15W40 CJ4, 6/1 QUART CASE STOCK #: P4MB576

0023	40539	EA	46.2500	
------	-------	----	---------	--

OIL, AUTOMOTIVE ENGINE
AUTOMOTIVE OIL SAE 30W DIESEL AND GASOLINE ENGINES, MEETS API
SJ/CF-2, MILSPEC MIL-L2104, MIL-L-46512 IN 5 GALLON PAIL.

BRAND: MAG 1 FLEET 30W STOCK #: MG05305G

0024	40539	GL	6.9700	
------	-------	----	--------	--

OIL, AUTOMOTIVE ENGINE
OIL MOTOR SAE 15-40 DIESEL ENGINES, MUST MEET 2007 MODEL YEAR ENGINE
REQUIREMENTS API SM/CJ-4 CATERPILLAR ECF-3, CUMMINS CES 20081 ENERGY
CONSERVING BULK DELIVERY.

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 07

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

BRAND: PEAK 15W40 CJ4 STOCK #: P4MJ50

0025	40539-000001	GL	10.8500	
------	--------------	----	---------	--

AUTOMOTIVE OIL DIESEL ENGINE SAE 40W-API CLASS OF CF-2 OR LATEST MIL SPEC L-2104 (LATEST ISSUE) BULK DELIVERY.

BRAND: CASTROL ASSURON 40W STOCK #: 18150

0026	40539-000003	QT	3.0500	
------	--------------	----	--------	--

OIL MOTOR 2 CYCLE GASOLINE ENGINE, FOR USE IN LAWN MOWERS, SNOWMOBILES, CHAIN SAWS, AND OUTBOARD MOTORS, MEETS NMMA TC-W3 SPECIFICATIONS

BRAND: MAG 1 TWO CYCLE TC-W3, 6/1 QT. CASE STOCK #: MG0610P6

0028	40539-053050	DR	422.9500	
------	--------------	----	----------	--

OIL MOTOR SAE 15W-40 DIESEL ENGINE MUST MEET 2007 MODEL YEAR ENGINE REQUIREMENTS API SM/CJ-4, CATERPILLAR ECF-3, CUMMINS CES 2008 ENERGY CONSERVING IN 55 GALLON DRUM

BRAND: PEAK 15W40 CJ4 STOCK #: P4MJ51

0029	40539-003010	QT	2.9700	
------	--------------	----	--------	--

OIL AUTOMOTIVE SAE 30W DIESEL & GASOLINE ENGINE MEETS API SJ/CF-2 MIL-SPEC MIL-L-2104, MIL-L-46152, IN QUART CONTAINER.

BRAND: MAG 1 FLEET 30W, 6/1 QT. CASE STOCK#: MG0530P6

0030	40539-052010	QT	2.9600	
------	--------------	----	--------	--

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 08

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

OIL AUTOMOTIVE SAE 5W-20 TO MEET FORD SPECIFICATIONS, MEETS
MOTORCRAFT WSS-M2C153-H SPECIFICATIONS QUART CONTAINERS

BRAND: PEAK 5W20, 6/1 QT. CASE STOCK #: P2M0576

0031	40539-053040	DR	386.6500
------	--------------	----	----------

AUTOMOTIVE OIL SAE 5W-30 GASOLINE ENGINES API SM, ILSAC GF-4 ENERGY
CONSERVING 55 GALLON DRUMS.

BRAND: PEAK SYN BLEND 5W30 STOCK #: P3MB51

0032	40539-053040	DR	386.6500
------	--------------	----	----------

OIL AUTOMOTIVE SAE 5W-20 TO MEET FORD SPECIFICATIONS, MEETS
MOTORCRAFT WSS-M2C153-H SPECIFICATIONS 55 GALLON DRUMS

BRAND: PEAK SYN BLEND 5W20 STOCK #: P2MB51

0033	40539-54300A	DR	440.5500
------	--------------	----	----------

OIL AUTOMOTIVE SAE 30 DIESEL & GASOLINE ENGINE MEETS API SJ/CF-2
MILSPEC 2104, MIL-L-46152, 55 GALLON DRUM.

BRAND: MAG 1 FLEET 30W STOCK #: MG053055

0034	40539-053050	GL	6.3100
------	--------------	----	--------

OIL AUTOMOTIVE SAE 5W-20 TO MEET FORD SPECIFICATIONS MEETS MOTORCRAFT
WSS-M2C153-H SPECIFICATIONS BULK DELIVERY,

BRAND: PEAK SYN BLEND 5W20 STOCK #: P2MS50

0035	40539-053050	GL	6.3100
------	--------------	----	--------

OIL AUTOMOTIVE SAE 5W-30 GASOLINE ENGINES API SM, ILSA GF-4 ENERGY

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 09

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

CONSERVING BULK DELIVERY.

BRAND: PEAK SYN BLEND 5W30 STOCK #: P3MS50

0036	40539-10401X	QT	2.8700
------	--------------	----	--------

OIL, MOTOR SAE10W40 IN QUART CONATINERS, 12 PER CASE.

OIL MOTOR SAE 10W-40 IN QUART CONTAINERS, API SM, ILSAC GF-4 ENERGY CONSERVING.

BRAND: PEAK 10W40, 6/1 QT. CASE STOCK #: P4M0176

0037	40539-104040	DR	428.4500
------	--------------	----	----------

OIL MOTOR SAE 10W-40 GASOLINE ENGINE API SM, ILSA GF-4 ENERGY CONSERVING IN 55 GALLON DRUM.

BRAND: PEAK 10W40 STOCK #: P4M011

0040	40539-54300A	DR	377.3000
------	--------------	----	----------

OIL AUTOMOTIVE SAE 10W-30 API SM, ILSAC G-4 ENERGY CONSERVING 55 GALLON DRUMS.

BRAND: PEAK SYN BLEND 10W30 STOCK #: P3M011

0041	40549-809020	EA	136.8500
------	--------------	----	----------

OIL GEAR 80W-140 SYNTHETIC MEETS API GL-5, MIL-L-2105D, MACK GO-H ALLISON C4, ALLISON CHALMERS POWER FLUID 821 & 822, JOHN DEERE J20A HYGARD AND J14B, FORD M2C53A, 53C, 41B, 36B, 134B/C/D AND 77A. CASE/1H MS01207/HYTRAN PLUS 1210/TCH 1204TFD 1205/TFD11 1206/PTF JIC-145, 185 B-6 HYTRAN, CATERPILLAR TO-2, MASSEY FERGUSON M-1110 1127 A/B 1129A 1135 1141, OLIVER WHITE Q1766B UHTF TYPE 55 Q1722 102082 Q1826, SUNSTRAND HYDROSTATIC TRANSMISSION FLUID, SPERRY VICKERS PASS ON PUMP TEST ASTM D-2882 AND 35 VQ25 IN 35 LB.PAIL.

BRAND: CASTROL SYN GEAR 80W140 STOCK #: 37517

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 10

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

0042	40549-809020	EA	52.3500	
------	--------------	----	---------	--

OIL GEAR MULTIPURPOSE GRADE 80W-90 MEETS REQUIREMENT OF
API GL-5, SAE J-2360 IN 35 LB PAIL.

BRAND: PEAK 80W90 STOCK #: P9G085

0043	40549-809020	EA	456.0000	
------	--------------	----	----------	--

OIL GEAR 80W-140 SYNTHETIC MEETS API-GL-5, MIL-L-2105D, MACK 60-H
IN 120 LB KEG.

BRAND: CASTROL SYN GEAR 80W140 STOCK #: 37518

0044	40549-809030	EA	171.0400	
------	--------------	----	----------	--

OIL GEAR MULTIPURPOSE GRADE 80W-90 MEETS REQUIREMENT OF API-GL-5, SAE
J-2360 IN 120 LB KEG

BRAND:PEAK 80W90 STOCK #: P9G086

0045	40549-809040	DR	1,496.5000	
------	--------------	----	------------	--

OIL GEAR 80W-14 SYNTHETIC MEETS API-GL-5, MIL-L-2L05D, MACK GO-H
IN 100 LB DRUM 400 LB DRUM.

BRAND: CASTROL SYN GEAR 80W140 STOCK #: 37519

0046	40549-809040	DR	535.7000	
------	--------------	----	----------	--

OIL, GEAR MULTIPURPOSE GRADE 80W90 IN 400LB DRM. MEET REQUIRMENT OF API-GL-5 &
RECENT VERSION OF MIL SPEC MIL-L-2105.

OIL GEAR MULTIPURPOSE GRADE 80W-90 MEET REQUIREMENTS OF API-GL-5, SAE
J-2360 IN 400 LB DRUM.

VISCOSITY INDEX 145
FLASH PINT, DEG C (DEG F) 235 (455)

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 11

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

POUR POINT, DEG C (DEG F) -42 (-44)
COLOR: ORANGE

MEETS OR EXCEEDS: JOHN DEERE J20C, CATERPILLAR TO-2 AND MTO, FORD NEW
HOLLAND ESN-M2C134-D AND FNHA2C201, CASE JIC-143, JIC-145, MS1206,
MS1207 AND MS1209, MS1210 (TCH) IN BULK TANK WAGON TRUCK

BRAND: PEAK 80W90 STOCK #: P9G081

0047	40551-100050	EA	41.4500
------	--------------	----	---------

OIL HYDRAULIC UNIVERSAL TRACTOR FLUID PETROLEUM BASE FLUID
SPECIFICALLY DESIGNED FOR USE IN TRACTORS AND OTHER EQUIPMENT THAT
EMPLOYS A COMMON OIL FOR THE HYDRAULIC SYSTEM, WET CLUTCH
TRANSMISSION AND WET BRAKE IN 5 GALLON PAIL.

BRAND: PEAK UTF STOCK #: PUT005

0048	40551-100550	DR	376.2000
------	--------------	----	----------

OIL HYDRAULIC UNIVERSAL TRACTOR FLUID PETROLEUM BASE FLUID
SPECIFICALLY DESIGNED FOR USE IN TRACTORS AND OTHER EQUIPMENT THAT
EMPLOYS A COMMON OIL FOR THE HYDRAULIC SYSTEM, WET CLUTCH
TRANSMISSION AND WET BRAKE IN 55 GALLON DRUM.

BRAND: PEAK UTF STOCK #: PUT001

0049	40551-3530XX	GL	8.9700
------	--------------	----	--------

HYDRAULIC FLUID: UNIVERSAL, 4 GAL/CASE

HYDRAULIC TRACTOR FLUID MUST MEET OR EXCEED THE FOLLOWING
SPECIFICATIONS: API GRAVITY 29.9

VISCOSITY, KINEMATIC CST AT 40-DEGREE CENT... 58.4
CST AT 100 DEGREE CENT... 9.5

VISCOSITY, SAYBOLT CST AT 100-DEGREE FARH... 298
CST AT 210-DEGREE FARH... 58.3

VISCOSITY, BROOKFIELD CP AT -35 DEGREE C...40,000

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 12

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>
---------------	----------------------	------------	------------------

BRAND: MAG 1 UTF, 6/1 GAL CASE STOCK #: MG44HT6P

0051	40551-353004	DR	697.4000
------	--------------	----	----------

OIL: HYDRAULIC HOIST; FOR HYDRAULIC ACTUATING SYSTEMS, EITHER VANE OR GEAR-TYPE PUMPS ON MOBILE CONSTRUCTION EQUIPMENT AND FOR HYDRAULIC SYSTEMS IN INDUSTRIAL-TYPE MANUFACTURING MACHINES; TO CONTAIN CORROSION, OXIDATION AND FOAM INHIBITORS IN SUFFICIENT QUANTITIES TO PROTECT THE SYSTEM, TO HAVE NO DELETERIOUS EFFECT ON NEOPRENE AND/OR LEATHER SEALS USED IN SYSTEM. GRADE: EITHER LIGHT OR MEDIUM. 55 GAL. DRUMS.
HYDRAULIC OIL/FLUID ISO GRADE 15 HIGH VISCOSITY INDEX LOW POUR POINT PREMIUM HYDRAULIC OIL DESIGNED FOR USE IN HYDRAULIC AERIAL UNITS OPERATING IN A WIDE VARIATION OF AMBIENT AND SYSTEM OPERATING CONDITIONS IN 55 GALLON DRUMS.

BRAND: SHELL TELLUS S2V 15 STOCK #: 550026255

0052	40551-353460	DR	353.6500
------	--------------	----	----------

OIL HYDRAULIC AW ISO 46 GENERAL PURPOSE ANTI WEAR INDUSTRIAL, MUST MEET THE PERFORMANCE REQUIREMENTS OF DENISON HYDRAULIC HF-2 AND VICKERS (EATON) I-286-S IN 55 GALLON DRUM

BRAND: PEAK AW 46 STOCK #: P4H061

0053	40551-353004	GL	5.7300
------	--------------	----	--------

OIL: HYDRAULIC HOIST; FOR HYDRAULIC ACTUATING SYSTEMS, EITHER VANE OR GEAR-TYPE PUMPS ON MOBILE CONSTRUCTION EQUIPMENT AND FOR HYDRAULIC SYSTEMS IN INDUSTRIAL-TYPE MANUFACTURING MACHINES; TO CONTAIN CORROSION, OXIDATION AND FOAM INHIBITORS IN SUFFICIENT QUANTITIES TO PROTECT THE SYSTEM, TO HAVE NO DELETERIOUS EFFECT ON NEOPRENE AND/OR LEATHER SEALS USED IN SYSTEM. GRADE: EITHER LIGHT OR MEDIUM. 55 GAL. DRUMS.
OIL HYDRAULIC AW ISO 46 GENERAL PURPOSE ANTI WEAR MUST MEET THE PERFORMANCE REQUIREMENTS OF DENISON HYDRAULICS HF-2 AND VICKERS (EATON) IS-286-S IN BULK DELIVERY

BRAND: PEAK AW ISO 46 STOCK #: P4H060

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 13

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

0054	40551-353460	EA	38.2500	
------	--------------	----	---------	--

OIL HYDRAULIC ISO 32 GENERAL PURPOSE ANTI WEAR INDUSTRIAL MUST MEET THE PERFORMANCE REQUIREMENTS OF DENISON HYDRAULICS HF-2 AND VICKERS (EATON) I-286-S IN 5 GALLON PAIL

BRAND: PEAK ISO 32 STOCK #: P3H025

0055	40551-353460	DR	341.0000	
------	--------------	----	----------	--

OIL HYDRAULIC AW ISO 32 GENERAL PURPOSE ANTI WEAR INDUSTRIAL MUST MEET THE PERFORMANCE REQUIREMENTS OF DENISON HYDRAULIC HF-2 AND VICKERS (EATON) I-286-S IN 55 GALLON DRUM

BRAND: PEAK ISO 32 STOCK #: P3H021

0056	40551-353460	GL	5.5000	
------	--------------	----	--------	--

OIL HYDRAULIC AW ISO 32 GENERAL PURPOSE ANTI WEAR INDUSTRIAL MUST MEET THE PERFORMANCE REQUIREMENTS OF DENISON HYDRAULIC HF-2 AND VICKERS (EATON) I-286-S IN BULK DELIVERY

BRAND: PEAK ISO 32 STOCK #: P3H020

0057	40539	EA	39.4000	
------	-------	----	---------	--

HYDRAULIC AW ISO 46 GENERAL PURPOSE ANTI WEAR INDUSTRIAL MUST MEET THE PERFORMANCE REQUIREMENTS OF DENISON HYDRAULIC HF-2 AND VICKERS (EATON) I-286-S IN 5 GALLON PAIL.

BRAND: PEAK ISO 46 STOCK #: P4H065

0058	40524-001003	EA	856.0000	
------	--------------	----	----------	--

GREASE LITHIUM TYPE, HIGH TEMPERATURE, NGLI-2, EP, GC, MINIMUM DROPPING POINT 501 DEGREE FAHR, ANTI-WEAR/ANTI-RUST ADDITIVES TIMKEN OK LOAD 60, 400 LB DRUM

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 14

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

BRAND: CASTROL PYROPLEX BLUE #2, STOCK # ITEM #55179

0059	40524-001003	EA	3.1400	
------	--------------	----	--------	--

GREASE LUBRICATION TYPE EXTREME PRESSURE CHASIS HIGH TEMPERATURE
14 OZ. 10/CASE CHASIS NGLI GRADE

BRAND: MAG 1 HIGH TEMP DISC BRAKE GREASE, 10/1 CASE - 14 OZ.
STOCK #MG620014

0060	40524-421200	EA	3.1400	
------	--------------	----	--------	--

GREASE LITHIUM EP-2 14 OZ. CARTRIDGE PACKED 12/PER CASE

BRAND: MAG 1 HIGH TEMPERATURE DISC BRAKE GREASE, 10/1 CASE - 14 OZ.
STOCK: MG620014

0061	40524-424000	EA	2.8400	
------	--------------	----	--------	--

GREASE LITHIUM EP-2 HIGH TEMPERATURE 14 OZ. CARTRIDGE PACKED 12/PER
CASE

BRAND: CASRTROL PYROPLEX BLUE #2, 10/1 CASE
STOCK #: 55173S

0062	40539-200050	DR	377.3000	
------	--------------	----	----------	--

OIL, AUTOMOTIVE ENGINE, MULTI-VISCOSITY 10W-30 SERIES API SG/CD,
ENERGY CONSERVING II, DRYDEN II OR EXACT EQUAL. 55 GAL. DRUM
OPIL AUTOMOTIVE SAE 10W-30 GASOLINE ENGINES, API SM, ISLAC GF-4
ENERGY CONSERVING.

BRAND: PEAK SYN BLEND 10W30 STOCK #: P3M011

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 15

<u>LINE #</u>	<u>STATE ITEM ID</u>	<u>U/M</u>	<u>UNIT COST</u>	
---------------	----------------------	------------	------------------	--

0063	40539-541009	QT	517.0000	
------	--------------	----	----------	--

THE UNIT OF MEASURE IS DRUMS AT \$517.00

**** PLEASE DISREGARD THE UNIT OF MEASURES AS QUART ****

OIL AUTOMOTIVE SAE 10W GASOLINE AND DIESEL ENGINES, APICE, CD/SG-SAE10; MEETING U.S. MILITARY SPEC MIL-L-2104E AND MIL-L-46152E, CATERPILLAR CD/T04 GRADE API 29.5; POUNDS PER GALLON 7.3; FLASHPOINT F (C) (C0C) 426 (219 VISCOSITY, CPAT-2 (CCS) 1880; VISCOSITY CP AT C (MRV) 10,000 @-25C; DETECTABLE YIELD STRESS PER SAE J300 NO VISCOSITY CST AT 40 C 35.5; CST AT 100 C 6.2; SUS AT 100 F 182; SUS AT 210 F 47; VISCOSITY INDEX 124; POUR POINT, F(C) -27(-33); SULFATED ASH, WT%, MAX 0.9; TOTAL BASE NUMBER (TBN) ASTM D2896 8.5; COLOR ASTM D1500 4.5 IN BULK DELIVERY TANKER WAGON.

BRAND:PEAK 10W30 CJ4

STOCK #: P3MR11

0064	40551-353001	EA	66.0000	
------	--------------	----	---------	--

OIL, HYDRAULIC HOIST, 5 GAL POUR TYPE PAIL

OIL: HYDRAULIC HOIST; FOR HYDRAULIC ACTUATING SYSTEMS, EITHER VANE OR GEAR-TYPE PUMPS ON MOBILE CONSTRUCTION EQUIPMENT AND FOR HYDRAULIC SYSTEMS IN INDUSTRIAL-TYPE MANUFACTURING MACHINES; TO CONTSIN CORROSION, OXIDATION AND FOAM INHIBITORS IN SUFFICIENT QUANTITIES TO PROTECT THE SYSTEM. TO HAVE NO DELETERIOUS EFFECT ON NEOPRENE AND OR/ LEATHER SEALS USED IN SYSTEM.GRADE: EITHER LIGHT OR MEDIUM. 5 GAL. POUR TYPE. HYDRAULIC OIL/FLUID ISO GRADE 32 HIGH VISCOSITY INDEX LOW POUR POINT PREMIUM HYDRAULIC OIL DESIGNED FOR USE IN HYDRAULIC AERIAL UNITS OPERATING IN A WIDE VARIATION OF AMBIENT AND SYSTEM OPERATING CONDCTIONS IN 55 GALLON DRUM.

BRAND: CASTROL DUAL RANGE HV 32

ITEM # 42057

END OF ITEM LIST

THIS PROCUREMENT WAS CONDUCTED AS A COMPETITIVE SEALED BID. THE AWARD AWARD WAS MADE TO THE LOWEST RESPONSIVE AND RESPONSIBLE BIDDER (BASIS FOR AWARD).

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 16

TERMS (cont'd):

THE CONTRACTOR WARRANTS THAT THE CONTRACT SHALL COMPLY WITH COMAR 21.11.08. DRUG AND ALCOHOL FREE WORKPLACE AND THAT THE CONTRACT SHALL REMAIN IN COMPLIANCE THROUGHOUT THE TERM OF THIS PURCHASE ORDER.

BILLING: VENDOR MUST INCLUDE THE 9-DIGIT ZIP CODE OF COMPANY ADDRESS ON ALL INVOICES. FAILURE TO DO SO MAY RESULT IN DELAY OF PAYMENT.

ALL PRODUCTS USED IN PACKING TO CUSHION AND PROTECT DURING THE SHIPMENT OF COMMODITIES ARE TO BE MADE OF RECYCLED, REYCLABLE, AND/OR BIODEGRADABLE MATERIALS.

DELIVERY: PRODUCTS SHOULD BE DELIVERED EXPEDIOUSLY AS POSSIBLE WITHIN FIVE (5) BUSINESS DAYS UPON RECEIPT OF ORDER FROM THE USING AGENCY F.O.B. DELIVERED INCLUDING BULK OIL DELIVERIES TO THE MARYLAND TRANSIT ADMINISTRATION (MTA) AND MARYLAND TRANSPORTATION AUTHORITY (MDTA) DELIVERY POINTS AND OTHER USING AGENCY BULK DELIVERY POINTS THROUGHOUT THE STATE OF MARYLAND. VENDOR SHALL HAVE AGENCY CONTACT PERSON CONFIRM TANK LOCATION AND SIGN DELIVERY TICKET.

PRICE ADJUSTMENT CLAUSE: THE CONTRACTOR MAY REQUEST A PRICE ADJUSTMENT REVIEW EVERY THREE MONTHS (QUARTERLY). IT IS THE CONTRACTOR RESPONSIBILITY TO SUBMIT THE REQUEST IN WRITING WITH THE REQUIRED DOCUMENTATION FOR THE INCREASE/DECREASE. THE BASIS FOR THE CHANGE WILL BE PREDICATED ON THE DEPARTMENT OF LABOR, PRODUCER PRICE INDEX SERIES ID: WPU-0575 LUBRICATING OIL MATERIALS.

USAGE REPORT: THE CONTRACTOR SHALL SUPPLY A REPORT ANNUALLY DETAILING ALL PURCHASES INCLUDING CREDIT CARD ORDERS PLACED AGAINST THIS CONTRACT. REPORT SHALL BE SUBMITTED AT LEAST FIFTEEN DAYS BEFORE THE CLOSE OF THE REPORT PERIOD.

ADDITIONAL USER CLAUSE: (A) PURSUANT TO ARTICLE 41, SECTION 18-201 OF THE ANNOTATED CODE OF MARYLAND, EXCEPT AS PROVIDED IN (B) THE FOLLOWING ENTITIES MAY PURCHASE MATERIALS, SUPPLIES AND EQUIPMENT UNDER THIS CONTRACT: A COUNTY OR BALTIMORE CITY, MUNICIPAL CORPORATION, GOVERNMENTAL AGENCY, PUBLIC OR QUASI-PUBLIC AGENCY, A PRIVATE ELEMENTARY OR SECONDARY SCHOOL AND NONPUBLIC INSTITUTION OF HIGHER EDUCATION UNDER SECTION 17-106 OF THE EDUCATION ARTICLE.

ORDERING: THE STATE IF MARYLAND PURCHASING CARD MUST BE ACCEPTED FOR PURCHASE MADE AGAINST THIS CONTRACT WITHIN THE PROCUREMENT OFFICER'S LIMITATION OF \$2,500.00. THIS CONTRACT DOES NOT OBLIGATE THE STATE OF MARYLAND TO PURCHASE ANY MINIMUM OR MAXIMUM QUANTITY THROUGH THE CONTRACT PERIOD. ORDERS FOR ACTUAL REQUIREMENTS MAY BE MORE OR LESS THAN LISTED AND WILL BE PLACED DIRECT TO THE SUPPLIER BY THE USING AUTHORITIES INDICATING DELIVERY AND BILLING INSTRUCTIONS.

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 17

TERMS (cont'd):

OPEN MARKET CLAUSE: THE USING AGENCY RESERVES THE RIGHT TO PURCHASE MARKET WITHOUT THE FILING OR A REQUISITION OR COST ESTIMATE ITEMS SPECIFIED ON THIS CONTRACT FOR IMMEDIATE DELIVERY DUE TO EMERGENCIES, UNFORESEEN CAUSES AND VENDOR FAILURE TO DELIVER PER CONTRACT TERMS.

SPECIAL NOTE: THE VENDOR MUST BE A FACTORY AUTHORIZED DISTRIBUTOR FOR THE BRAND(S) OFFERED. CONTRACTOR TO PROVIDE ONE SINGLE BRAND AND STOCK NUMBER PER LINE ITEM. THESE SPECIFICATIONS ARE MEANT TO DESCRIBE COMMODITIES SUITABLE FOR THE INTENDED SPPLICATION(S) AND ARE NOT MEANT TO BE RESTRICTIVE IN ANY WAY. ANY/ALL SPECIFICATIONS DETERMINED BY THE BIDDER TO BE RESTRICTIVE MUST BE ADDRESSED IN WRITING PRIOR TO THE BID. FURTHERMORE, VENDORS PROVIDING ALLISON TRANSMISSION FLUID REQUIRING TS-295 CERTIFICATION MUST PROVIDE DETERMINATION FROM ALLISON THAT BRAND PROVIDED IS AN APPROVED PRODUCT IN ORDER TO MAINTAIN VEHICLE WARRANTY. UNAPPROVED BRANDS THAT DO NOT MEET THAT REQUIREMENT OR HAVE REQUIRED CERTIFICATION FROM ALLISON WILL NOT BE APPROVED.

STATE REGULATION REQUIREMENTS: THIS QUOTATION IS SUBMITTED WITH THE UNDERSTANDING THAT THE VENDOR SHALL COMPLY WITH ALL FEDERAL AND STATE OSHA REGULATIONS, STATE OF MARYLAND PROCUREMENT REGULATIONS IN EFFECT AT THE TIME OF SUBMISSION AND THE INSTRUCTIONS PROVIDED HEREIN.

PRODUCT QUALITY: CONTRACTOR SHALL BE REQUIRED TO ALERT THE PROCUREMENT OFFICER WITHIN TWENTY-FOUR (24 HRS) OF ANY PRODUCT RECALL, MANUFACTURER PRACTICE CHANGES, INCLUDING BUT NOT LIMITED TO OUT SOURCING AND/OR RAW MATERIALS THAT WOULD AFFECT THE ABILITY TO SUPPLY PRODUCTS THAT MEET STANDARDS AND AFFECT DELIVERY SCHEDULE.

PRODUCT WARRANTY: ALL PRODUCTS SOLD UNDER THIS CONTRACT ARE TO BE UNCONDITIONALLY GUARANTEED BY THE VENDOR AGAINST DEFECT AND SATISFACTION OF THE END USER(S) AND MANUFACTURER REQUIRED USAGE.

TAX REQUIREMENT: THE STATE OF MARYLAND IS EXEMPT FROM FEDERAL AND STATE TAXES AND WILL NOT PAY OR REIMBURSE SUCH TAXES. FOR A STATE PROCUREMENT CONTRACT OF \$10,000.00 OR MORE AT THE TIME A BID OR PROPOSAL FOR ANY STATE PROCURMENT CONTRACT IS SUBMITTED, THE BIDDER OR OFFEROR SHALL CERTIFY TO THE PROCUREMENT OFFICER THE BIDDER HAS PAID ALL TAXES, UNEMPLOYMENT INSURANCE CONTRIBUTIONS, REIMBURSEMENT PAYMENTS AND INTEREST NOT BARRED BY LIMITATIONS AND PAYABLE TO THE COMPTROLLER, THE DEPARTMENT OF ASSESSMENTS AND TAXATION OR HAS PROVIDED FOR PAYMENT IN A MANNER SATISFACTORY TO THE UNIT RESPONSIBLE FOR COLLECTION; AND IF THE BIDDER OR OFFEROR IS A VENDOR OF TANGIBLE PERSONAL PROPERTY, THE BIDDER OR OFFOROR POSSESSES A VALID SALES AND USE TAX LICENSE UNDER TITLE 11, SUBTITLE 7 OF THE TAX -

*** CONTINUED, NEXT PAGE ***

BLANKET PURCHASE ORDER

STATE OF MARYLAND

***** STATE OF MARYLAND *****

BPO NO: 001B7400008

PRINT DATE: 08/08/16

PAGE: 18

TERMS (cont'd):

GENERAL ARTICLE.

1% PROCESSING FEE:

1. CONTRACTOR SHALL PAY A PROCESSING FEE TO THE STATE IN THE AMOUNT OF ONE PERCENT (1%) OF THE TOTAL CONTRACT TRANSACTIONS. THE PROCESSING FEE IS CALCULATED BASED ON ALL TRANSACTIONS UNDER THE CONTRACT, MINUS ANY ADJUSTMENTS OR CREDITS. THE PROCESSING FEE SHALL NOT BE CHARGED DIRECTLY TO THE CUSTOMER, E.G, AS A SEPERATE LINE ITEM, FEE OR SURCHARGE, BUT SHALL BE INCLUDED IN THE CONTRACT'S UNIT PRICES.

2. THE PROCESSING FEE SHALL BE SUBMITTED TO THE DEPARTMENT OF GENERAL SERVICES, FISCAL SERVICES DIVISION, 301 WEST PRESTON STREET, ROOM 1309, BALTIMORE, MARYLAND 21201, WITHIN TEN (10) DAYS FOLLOWING THE END OF EACH CALENDAR MONTH ALONG WITH A MONTHLY USAGE REPORT DOCUMENTING ALL CONTRACT SALES. AN EXCEL VERSION OF THE MONTHLY USAGE REPORT SHALL ALSO BE EMAILED TO THE EMM PROJECT MANAGER MS. DEWANA DANIEL AT DEWANA.DANIEL@MARYLAND.GOV

3. FAILURE TO REMIT PROCESSING FEE IN A TIMELY MANNER OR REMITTANCE OF FEES INCONSISTENT WITH THE CONTRACT'S REQUIREMENTS MAY RESULT IN THE STATE EXERCISING ALL RECOURSE AVAILABLE UNDER THE CONTRACT INCLUDING, BUT NOT LIMITED TO, A THIRD PARTY AUDIT OF ALL CONTRACT ACTIVITY. SHOULD AN AUDIT BE REQUIRED BY THE STATE, THE CONTRACTOR SHALL REIMBURSE THE STATE FOR ALL COSTS ASSOCIATED WITH THE AUDIT UP TO \$10,000 OR ONE(1) PERCENT OF THE CONTRACT'S ESTIMATED ANNUAL VALUE, WHICHEVER IS HIGHER.

C O N T R A C T

DESIGNATED AGENCY ONLY ()
AVAILABLE TO: ALL STATE OF MARYLAND AGENCIES ()
STATE AGENCIES AND POLITICAL SUBDIVISIONS (X)

***** LAST PAGE *****

AUTHORIZED BY: _____ DATE: _____

BUYER AUTHORIZED DESIGNEE