\*\*\*\*\*\*\* STATE OF MARYLAND \*\*\*\*\*\*\*\*\*\*

**BPO NO:** 001B0600239 **PRINT DATE:** 03/18/20 **PAGE:** 01

SHIP TO:

AS SPECIFIED ON INDIVIDUAL ORDERS

**VENDOR ID:** 

LEONARD ALUMINUM UTILITY BUILDINGS

4239 CAPITAL BLVD

RALEIGH, NC 27604

(919)874-9849

**REFER QUESTIONS TO:** 

ALLEGRA DAYE (410 )767-4032

ALLEGRA.DAYE1@MARYLAND.GOV

ITB: EXPR DATE: 02/28/21 DISCOUNT TERMS: . NET 30 DAY

POST DATE: 03/13/20 CONTRACT AMOUNT: .00

### TERMS:

ARTICLES HEREIN ARE EXEMPT FROM MARYLAND SALES AND USE TAXES BY EXEMPTION CERTIFICATE NUMBER 3000256-3 AND FROM FEDERAL EXCISE TAXES BY EXEMPTION NUMBER 52-73-0358K. IT IS THE VENDOR'S RESPONSIBILITY TO ADVISE COMMON CARRIERS THAT AGENCIES OF THE STATE OF MARYLAND ARE EXEMPT FROM TRANSPORTATION TAX.

\* STATEWIDE CONTRACT

FOR \*

\* TOW BEHIND UTILITY TRAILERS \*

\*\*\*\*\*\*\*\*\*\*

STATEWIDE CONTRACT FOR MARYLAND STATE AND LOCAL GOVERNMENT AGENCIES.

THIS IS THE FINAL RENEWAL OPTION AGAINST CONTRACT 001B7400457, WITH NO REMAINING OPTIONS LEFT ON CONTRACT.

CONTRACT TERM: MARCH 14,2020 THROUGH FEBRUARY 28,2021, WITH THE SAME TERMS AND CONDITIONS.

VENDOR : LEONARD BUILDINGS & TRUCK ACCESSORIES

VENDOR CONTACT: TIM PURIFOY VENDOR NUMBER: 336-253-9642

VENDOR E-MAIL: TPURIFOY@LEONARDUSA.COM

#### DELIVERY:

PRODUCT TO BE DELIVERED TO ANY REQUESTING STATE OR LOCAL AGENCY THROUGH OUT THE STATE OF MARYLAND.

\*\*\*\*\*\*\* STATE OF MARYLAND \*\*\*\*\*\*\*\*\*\*

**BPO NO:** 001B0600239 **PRINT DATE:** 03/18/20 **PAGE:** 02

TERMS (cont'd):

UNITS SHALL BE DELIVERED FULLY ASSEMBLED, COMPLETELY SERVICED AND READY FOR OPERATION.

VENDOR MUST INCLUDE THE 9-DIGIT ZIP CODE OF COMPANY ADDRESS ON ALL INVOICES.

THIS BLANKET PURCHASE ORDER IS FOR NEW PRODUCTS/EQUIPMENT WHICH MUST BE FREE FROM DEFECTS. USED, REFURBISHED OR REMANUFACTURED PRODUCTS/EQUIPMENT WILL NOT BE ACCEPTED OR CONSIDERED UNLESS OTHERWISE INDICATED HEREIN.

PURCHASES BY OTHER ENTITIES - INDEFINITE QUANTITY CONTRACTS: THIS PROVISION APPLIES TO INDEFINITE QUANTITY CONTRACTS. PURSUANT TO ARTICLE 41, SECTION 18-201 OF THE ANNOTATED CODE OF MARYLAND, EXCEPT AS PROVIDED IN (B) THE FOLLOWING ENTITIES MAY PURCHASE MATERIALS, SUPPLIES, AND EQUIPMENT UNDER THIS CONTRACT:

- (1) A COUNTY OR BALTIMORE CITY;
- (2) A MUNICIPAL CORPORATION;
- (3) A GOVERNMENTAL AGENCY IN THE STATE;
- (4) A PUBLIC OR QUASI-PUBLIC AGENCY THAT:
- (I) RECEIVES STATE MONEY; AND
- (II) IS EXEMPT FROM TAXATION UNDER SECTION 501(C)(3) OF THE INTERNAL REVENUE CODE;
- (5) A PRIVATE ELEMENTARY OR SECONDARY SCHOOL THAT:
- (I) EITHER HAS BEEN ISSUED A CERTIFICATE OF APPROVAL FROM THE STATE BOARD OF EDUCATION OR IS ACCREDITED BY THE ASSOCIATION OF INDEPENDENT SCHOOLS; AND
- (II) IS EXEMPT FROM TAXATION UNDER SECTION 501(C)(3) OF THE INTERNAL REVENUE CODE; OR
- (6) A NON-PUBLIC INSTITUTION OF HIGHER EDUCATION UNDER SECTION 17-106 OF THE EDUCATION ARTICLE.
- (B) A PRIVATE ELEMENTARY OR SECONDARY SCHOOL OR A NONPUBLIC INSTITUTION OF HIGHER EDUCATION MAY NOT PURCHASE RELIGIOUS MATERIAL UNDER THIS CONTRACT.
- (C) THE RIGHT TO PURCHASE UNDER THIS SECTION SHALL BE IN ADDITION TO, BUT NOT IN SUBSTITUTION FOR, THE APPLICABLE PURCHASING POWER GRANTED TO ANY OF THE LISTED ENTITIES PURSUANT TO ANY STATUTORY OR CHARTER PROVISION.
- D)ALL PURCHASES UNDER THIS CONTRACT BY ANY SUCH ENTITY WHICH IS NOT A UNIT OR AGENCY OF THE STATE OF MARYLAND FOR WHICH THE STATE OF MARYLAND MAY BE HELD LIABLE IN CONTRACT (1) SHALL CONSTITUTE A PURCHASE OR CONTRACT BETWEEN THE CONTRACTOR AND THAT ENTITY ONLY; (2) SHALL NOT CONSTITUTE A PURCHASE OR CONTRACT OF THE STATE OF MARYLAND; (3) SHALL NOT BE BINDING OR ENFORCEABLE AGAINST THE STATE OF MARYLAND OR ANY OF ITS UNITS OR AGENCIES; AND MAY BE SUBJECT OTHER TERMS AND CONDITIONS AGREED TO BY THE CONTRACTOR AND THE

<sup>\*\*\*</sup> CONTINUED, NEXT PAGE \*\*\*

\*\*\*\*\*\*\* STATE OF MARYLAND \*\*\*\*\*\*\*\*\*\*

**BPO NO:** 001B0600239 **PRINT DATE:** 03/18/20 **PAGE:** 03

TERMS (cont'd):

PURCHASER.

CONTRACTOR BEARS THE RISK OF DETERMINING WHETHER OR NOT ANY ENTITY FROM WHICH THE CONTRACTOR RECEIVES AN ORDER UNDER THE CONTRACT IS A UNIT OR AGENCY OF THE STATE OF MARYLAND SUCH THAT THE CONTRACT MAY BE ENFORCED AGAINST THE STATE OF MARYLAND.

THE DEPARTMENT OF GENERAL SERVICES' "TERMS AND CONDITIONS FOR COMMODITY CONTRACTS OVER \$25,000" AND ALL SPECIFICATIONS, TERMS AND CONDITIONS OF SOLICITATION # 001IT820078 / MDDGS31023647 INCORPORATED HEREIN BY REFERENCE.

LINE #	STATE ITEM ID	U/M	UNIT COST	
0001	07066-000005	EA	3,750.0000	

TRAILER

### LANDSCAPE TRAILERS

BED DIMENSIONS: 16' LONG, 83" WIDE, BED SHALL REST BETWEEN THE AXLES; BED SHALL BE A MINIMUM OF 58% FORWARD OF THE TANDEM AXLE CENTERLINE GVWR 7,000 LBS.

AXLES: 2 @ 3,500LBS EACH WITH ELECTRIC BRAKES ON BOTH AXLES AND

CAMBERED EZ LUBE DESIGN

SUSPENSION: MULTI-LEAF SPRINGS

TIRES: MINIMUM ST205/75-15C

LIGHTING: TO MEET FMVSS 108 FOR STOP/TAIL/ TURN AND CLEARANCE, ALL

SHALL BE LED TYPE

FLOOR: 2" TREATED PINE OR NON-TREATED HARDWOOD

FRAME:ANGLE OR TUBE STRUCTURAL, MINIMUM 6.125 POUNDS PER FOOT CROSSMEMBERS: ANGLE OR TUBE STRUCTURAL, MINIMUM 3 POUNDS PER FOOT REAR GATE: FOLD DOWN WITH SPRING ASSIST, 4' LENGTH MINIMUM, THE REAR GATE SHALL HAVE A MINIMUM OF THREE LONGITUDINAL SUPPORTSIN ADDITION TO THE TWO OUTER SIDES; THE GATE SHALL HAVE EXPANDED METAL COVERING THE ENTIRE INNER PERIMETER THE GATE SHALL STOW VERTICALLY AND BE SECURED

\*\*\*\*\*\*\* STATE OF MARYLAND \*\*\*\*\*\*\*\*\*\*

**PRINT DATE:** 03/18/20 **BPO NO:** 001B0600239 **PAGE:** 04

STATE ITEM ID U/M LINE # UNIT COST

FENDERS: METAL "TEARDROP" STYLE THAT COVER HALF THE TIRES FRONT AND

TONGUE: SHALL BE A MINIMUM OF 44.5" INCHES IN LENGTH WITH AN

ADJUSTABLE PINTLE RING AND SAFETY CHAINS ATTACHED, TONGUE SHALL BE 4"

CHANNEL MINIMUM

0002 07066-00005

EA

4,525.0000

TRAILER

#### TANDEM AXLE UTILITY TRAILER

BED DIMENSIONS: 18' FEET LONG, 83" WIDE, BED SHALL REST BETWEEN AXLES;

BED SHALL BE A MINIMUM OF 58% FORWARD OF TANDEM AXLE CENTERLINE

GVWR: 9,500 LBS

AXLES: 2@ 5,200 LBS EACH WITH ELECTRIC BRAKES ON BOTH AXLES AND

CAMBERED EZ LUBE DESIGN

SUSPENSION: MULTI- LEAF SPRING WITH EQUALIZERS

TIRES: MINIMUM ST225/75-15D

LIGHTING: TO MEET FMVSS 108 FOR STOP/TAIL/TURN AND CLEARANCE, ALL

SHALL BE LED

FLOOR: 2" TREATED PINE OR NON-TREATED HARDWOOD

FRAME: ANGLE OR TUBE STRUCTURAL, MINIMUM 6.5 LBS PER FOOT

CROSSMEMBERS: ANGLE OR TUBE STRUCTURAL, MINIMUM 3 LBS PER FOOT

RAMPS: 4' "SLIDE-IN" TYPE, RUGGED ENOUGH TO SUPPORT 110% OF MAXIMUM

PAYLOAD

FENDERS: METAL "TEARDROP" STYLE THAT COVER AT LEAST HALF THE TIRES

FRONT AND BACK

TONGUE: SHALL BE A MINIMUM OF 45" IN LENGTH WITH AN ADJUSTABLE PINTLE RING AND SAFETY CHAINS ATTACHED, TONGUE SHALL BE 5" CHANNEL MINIUM

THE UTILITY TRAILER SHALL INCLUDE A SPARE TIRE AND HOLDER, 16" INCH UP RIGHTS CAPPED WITH PIPE RUNNING THE PERIMETER OF THE FRONT AND BOTH SIDES OF THE BED; THE UPRIGHTS SHALL BE THE SAME MATERIAL AS THE CROSSMEMBERS, 3.5 TON JACK WITH SAND SHOE CENTERED IN TONGUE AREA, TIE DOWN POCKETS ON EACH SIDE MINIUM 2 PER SIDE, WHITE WHEELS, AND CONSPICUITY TAPE.

0003 07066-00005

EA

7,010.0000

TRAILER

\*\*\*\*\*\*\* STATE OF MARYLAND \*\*\*\*\*\*\*\*\*\*

<u>LINE # STATE ITEM ID U/M UNIT COST</u>

TANDEM OVER AXLE EQUIPMENT TRAILERS

BED DIMENSIONS: 20' LONG, 102" WIDE, BED SHALL BE ABOVE THE AXLES;
BED SHALL BE A MINIMUM OF 58% FORWARD OF THE TANDEM AXLE CENTERLINE,

TOP OF BED SHALL BE NO MORE THAN 32" ABOVE GROUND

GVWR: 14,000LBS

AXLES: 2@ 7,000 LBS EACH WITH ELECTRIC BRAKES ON BOTH AXLES AND

CAMBERED EZ LUBED DESIGN

SUSPENSION: MULTI-LEAF SLIPPER TYPE SPRING WITH EQUALIZER

TIRES:ST235/80-16E MINIMUM

LIGHTING: TO MEET FMVSS 108 FOR STOP/TAIL/TURN AND CLEARANCE, ALL

SHALL BE LED

FLOOR: 2" TREATED PINE OR UNTREATED HARDWOOD

FRAME: 12" I-BEAM, SHALL BE PIERCED DESIGN TO KEEP BED LOW PROFILE

CROSSMEMBERS: 3" CHANNEL

SIDE RAILS: 5" CHANNEL

RAMPS:8' "SLIDE IN" TYPE, RUGGED ENOUGH TO SUPPORT 110% OF MAXIMUM PAYLOAD

TONGUE: TONGUE SHALL BE PART OF THE FRAME (INTEGRAL) AND A MINIMUM OF 63" IN LENGTH, AN ADJUSTABLE HEIGHT PINTLE RING ANDSAFETY CHAINS SHALL BE INCLUDED.

THE EQUIPMENT TRAILER SHALL INCLUDE A SPARE TIRE AND HOLDER, RUB RAILS ON BOTH SIDES WITH STAKE POCKETS EVER 20", A 6 TON DROP LEG JACK BOLTED ON, EXPANDED METAL ATTACHED TO BOTTOM OF TONGUE AREAS FOR STORAGE, WHITE WHEELS, AND CONSPICUITY TAPE.

0004 07066-000005 EA 6,350.0000

TRAILER

#### FULL TILT EQUIPMENT TRAILER

BED DIMENSIONS: 20 FEET LONG, 83" WIDE, THE TILTING SECTION SHALL BE A MINIMUM OF 75" WIDE BUT MUST BE THE ENTIRE LENGTH OF THE BED, THE TILTING SECTION SHALL TILT A MINIMUM OF 12° WITH HYDRAULIC DAMPENING; THE GROUND RESTING EDGE SHALL BE 1/4" DIAMOND PLATE STEEL TOP AND BOTTOM

GVWR: 14,000 LBS

AXLES: 2@ 7,000LBS EACH 4" DROP CAMBERED EZ LUBE TYPE WITH ELECTRIC

BRAKES ON BOTH AXLES

SUSPENSION: MULTI-LEAF SLIPPER TYPE SPRING WITH EQUALIZER

TIRES: ST235/80-16E MINIMUM

\*\*\*\*\*\*\* STATE OF MARYLAND \*\*\*\*\*\*\*\*\*\*

**PRINT DATE:** 03/18/20 **BPO NO:** 001B0600239 **PAGE:** 06

STATE ITEM ID U/M LINE # **UNIT COST** 

LIGHTING: TO MEET FMVSS108 FOR STOP/TAIL/TURN AND CLEARANCE, ALL

SHALL BE LED

FLOOR: 2" TREATED PINE OR UNTREATED HARDWOOD

FRAME: 6" CHANNEL

CROSSMEMBERS: 3" CHANNEL, THERE SHALL BE A 3" TUBE CROSSMEMBER

SPANNING THE FRONT OF THE TRAILER TO ACT AS A TIRE STOP

FENDERS: FULL LENGTH, BOLT ON, FORMED DIAMOND PLATE THAT COVERS THE TIRES TO TIRES TO PREVENT ANY DEBRIS OR ROAD SPRAY FROM HITTING THE

TONGUE: SHALL BE A MINIMUM OF FOUR FEET IN LENGTH WITH ADJUSTABLE PINTLE RING AND SAFETY CHAINS, TONGUE SHALL BE 6" CHANNEL MINIMUM

THE TILTING BED EQUIPMENT TRAILER SHALL INCLUDE A SPARE TIRE AND HOLDER, SIX TON DROP LEG JACK WITH SAND SHOE, RUB RAILS DOWN THE LENGTH OF THE FIXED SIDE FRAME AND REAR OF THE EXPOSED TILT FRAME, WHITE WHEELS, AND CONSPICUITY TAPE

0005 07066-000005

EA

9,640.0000

TRAILER

#### HEAVY DUTY EQUIPMENT TRAILER

BED DIMENSIONS: 20' LONG + 5' DOVETAIL, 102" WIDE; TOP OF BED SHALL BE

NO MORE THAN 34" HIGH UNLADEN

GVWR:20,000LBS

AXLES: 2-10,000 LB DUAL WHEEL OIL BATH TYPE WITH ELECTRIC BRAKES ON

SUSPENSION: 40,000 LB ALIGN-ABLE TORQUE ROD MULTI-LEAF

TIRES: ST215/75-17.5H

LIGHTING: TO MEET FMVSS 108 FOR STOP/TAIL/TURN AND CLEARANCE, ALL BE

LED

FLOOR: 2" HARDWOOD

FRAME: 12" 19LBS PER FOOT PIECED DESIGN TO KEEP THE BED LOW PROFILE

CROSSMEMBERS: 6" JR I BEAM ON 16" CENTERS

SIDE RAILS: 8" CHANNEL WITH 5 D-RINGS ON EACH SIDE (MINIMUM 5/8")

RAMPS: 5' FOLDOVER SPRING ASSIST THAT STOW FLAT ON DOVETAIL TONGUE: MINIMUM 70" AND BE PART OF (INTEGRAL) THE FRAME OF THE TRAILER, THE TONGUE SHALL HAVE TWO DUAL SPEED LANDING GEAR JACKS, THE REST OF THE VOID AREA IN THE TONGUE SHALL BE A LOCKABLE STORAGE COMPARTMENT; THE TONGUE SHALL HAVE AN ADJUSTABLE PINTLE RING AND

SAFETY CHAINS INCLUDED

THE HEAVY DUTY EQUIPMENT TRAILER SHALL HAVE A SIDE STEP ON BOTH SIDES

AUTHORIZED BY: \_\_\_\_\_ DATE: \_\_\_\_\_